


# COLD TECH



**Profili in pvc**  
Pvc profiles  
Profils pvc  
Perfiles in pvc



**6903021000014** (*Avorio, Ivory, Ivoire, Marfil*)

**6903021000041** (*RAL9016*)

**6903021000064** (*RAL9010*)

- telaio "L" 130,00 x 60,00 mm
- 130,00 x 60,00 mm "L" frame
- chassis "L" 130,00 x 60,00 mm
- marco "L" 130,00 x 60,00 mm

**L = 6800 mm**



**6903021000018** (*Avorio, Ivory, Ivoire, Marfil*)

**6903021000039** (*RAL9016*)

**6903021000065** (*RAL9010*)

- spessore telaio 20,00 mm
- frame thickness 20,00 mm
- épaisseur chassis 20,00 mm
- espesor marco 20,00 mm

**L = 6800 mm**



**6903021000022** (*Avorio, Ivory, Ivoire, Marfil*)

**6903021000040** (*RAL9016*)

**6903021000066** (*RAL9010*)

- spessore telaio 40,00 mm
- frame thickness 40,00 mm
- épaisseur chassis 40,00 mm
- espesor marco 40,00 mm

**L = 6800 mm**



**6903021000032** (*Avorio, Ivory, Ivoire, Marfil*)

**6903021000068** (*RAL9016*)

**6903021000033** (*RAL9010*)

- spessore telaio 100,00 mm
- frame thickness 100,00 mm
- épaisseur chassis 100,00 mm
- espesor marco 100,00 mm

**L = 6800 mm**




**6903021000027** (*Avorio, Ivory, Ivoire, Marfil*)

**6903021000042** (*RAL9016*)

**6903021000067** (*RAL9010*)

- contro telaio PVC
- counter frame PVC
- contre chassis PVC
- contra marco PVC

**L = 6800 mm**



**6903021000030**


- supporto guarnizione perimetrale porte inox
- perimetric seal support for stainless steel doors
- support joint périphérique portes inox
- soporte burlete perimetral puertas inox



**IMA0000041** (*RAL 9010, 9002*)

- telaio PVC 110 mm
- PVC Frame 110 mm
- chassis PVC 110 mm
- marco PVC 110 mm


**L = 6000 mm**



**IMA0000040** (*RAL 9010, 9002*)

- telaio PVC 130 mm
- PVC Frame 130mm
- chassis PVC 130mm
- marco PVC 130mm


**L = 5800 mm**



**VIB0000012**

- copertura copriresistenza in alluminio per telaio
- heating wire cover aluminium profile
- couverture câble chauffant en aluminium
- tapa marco en aluminio para resistencia


**L = 5800 mm**



**IMA0000045** (*RAL 9010, 9002*)

- tappo telaio copriresistenza
- heating wire covering pvc profile
- couverture câble chauffant en pvc
- Tapa marco en pvc para resistencia


**L = 5800 mm**



**6903021000037** (*Avorio, Ivory, Ivoire, Marfil*)

- telaio 140 mm
- frame 140 mm
- chassis 140 mm
- marco 140 mm


**L = 6800 mm**



**IMA0000100** (*RAL 9010, 9002*)

- controtelaio PVC 80 mm
- PVC Counterframe 80 mm
- contrecadre PVC 80 mm
- contromarco PVC 80 mm


**L = 5800 mm**



**IMA0000101** (*RAL 9010, 9002*)


- controtelaio PVC 130 mm
- PVC Counterframe 130 mm
- contrecadre PVC 130 mm
- Contromarco PVC 130mm

**L = 5800 mm**




**TMP000002**

- profilo per collegamento del controtelaio al telaio
- pvc profile for of counter frame connection to the frame
- profil pour assemblage du contre cadre en pvc à la huisserie
- perfil para conexion del contromarco en pvc al marco




**TMP000009**

- profilo sostegno doppia guarnizione
- pvc door double gasket support
- profil support double joint en pvc
- perfil para doble burlete en pvc



**TMP000008**

- Piattina 15x4 sostegno guarnizione inferiore
- PVC gasket support 15X4 support floor gasket
- Support joint en PVC 15X4 support balaie racleur
- Soporte burlete en PVC 15X4 soporte empaque piso





# COLDTECH

COLDTECH s.r.l.

Sede legale: C.so Francia 274  
10093 Collegno (TO) - Italy  
P.IVA 09393210019

Sede operativa: Via Rivera 136/2  
10040 Almese (TO) - Italy  
Tel. ++39 011. 9370518  
Fax ++39 011.9319297  
[www.coldtech.tech](http://www.coldtech.tech)  
email: [coldtech@coldtech.it](mailto:coldtech@coldtech.it)